CANADIAN JOURNAL OF RESEARCH

VOLUME 23
1945
SECTION E

CANADA

Published by the
NATIONAL
RESEARCH COUNCIL
of CANADA

SECTION E

INDEX TO VOLUME 23

Authors

Allmark, M. G.—See Bachinski, W. M.

Anderson, R., Orr, J. H., and Reed, G. B.—Influence of sulphonamides on fibroblasts, 80.

Bachinski, W. M., Allmark, M. G., and Morrell, C. A.—An improved procedure for the bio-assay of pituitary extract (posterior lobe), 126.

Barberie, M.—See Hoar, W. S.

Bateman, J. B. and Lang, J.—Formation and growth of bubbles in aqueous solutions, 22.

Benham, G. H.—The fate of phenothiazine in rabbits. I. The detection of a new conjugate in rabbits' urine after the feeding of phenothiazine, 71.

Blanchaer, M. C.—See Boyd, E. M.

Boyd, E. M. and Blanchaer, M. C.—The effect of potassium iodide, sodium iodide, and Iod-Ethamine upon the concentration of alcohol-soluble and alcohol-insoluble fractions of blood iodine, 206.

Boyd, E. M., Blanchaer, M. C., Copeland, J., Jackson, S., Phin, K., and Stevens, M.—The effect of inorganic and organic iodides upon the output of respiratory tract fluid, 195.

Cameron, A. T.—The relative sweetness of various sweet compounds and of their mixtures, 139.

Cameron, A. T. and Guthrie, J. S.—Determination of bromide-bromine in the blood of patients undergoing treatment with bromide, 41.

Cameron, A. T., Meltzer, S., and Lederman, J. M.—A study of the effect of certain dietary factors on the production of tar-carcinoma in mice, 50.

Cantor, M. M.—See Tuba, J.

Copeland, J.—See Boyd, E. M.

Craigie, J.—Application and control of ethyl-ether–water interface effects to the separation of rickettsiae from yolk sac suspensions, 104.

Crampton, E. W. and Mills, M. F.—The effect of heating, the presence of antioxidants, and the level and melting point of the fat component on the nutritional value of diets as indicated in rat feeding tests, 131.

Dugal, L. P.—See Ferguson, J. K. W.

Dugal, L. P., Leblond, C. P., and Thérien, M.—Resistance to extreme temperatures in connection with different diets, 244.

Dunlop, A. P.—See Jaques, L. B.

Ferguson, J. K. W. and Dugal, L. P.—Respiratory quotients of expired and alveolar air at normal and reduced barometric pressures, 32.

Guthrie, J. S.—See Cameron, A. T.

Haist, R. E.—See Hamilton, J. I. and Irish, U.

Hamilton, J. I.—See Irish, U.

Hamilton, J. I. and Haist, R. E.—Studies on experimental shock in dogs, 89.

Hoar, W. S. and Barberie, M.—Distribution of riboflavin in fresh and processed fish, 8.

Hunter, G.—See Tuba, J.

Irish, U., Hamilton, J. I., Haist, R. E., and Jaques, L. B.—The prothrombin levels of animals in shock, 119.

Jackson, S.—See Boyd, E. M.

Jaques, L. B.—See Irish, U.

Jaques, L. B. and Dunlop, A. P.—The effect of phthalic acid on the prothrombin time of dicumarol-treated dogs, 167.

Kastelic, J.—See Tuba, J.

Lang, J.—See Bateman, J. B.

Leblond, C. P.—See Dugal, L. P.

Lederman, J. M.—See Cameron, A. T.

Meltzer, S.—See Cameron, A. T.

Mills, M. F.—See Crampton, E. W.

Morrell, C. A.—See Bachinski, W. M.

Noble, R. L.—
Observation on various types of motion causing vomiting in animals, 212.
Methods of assaying motion sickness preventives on dogs, 226.

Orr, J. H.—See Anderson, R. and Reed, G. B.

Phin, K.—See Boyd, E. M.

Reed, G. B.—See Anderson, R.

Reed, G. B. and Orr, J. H.—N^1-Benzoyl-sulphanilamide in experimental gas gangrene, 85.

Rice, H. V.—A suction type of electrode for electroencephalography, 19.

Shaner, R. F.—A human embryo of two to three pairs of somites, 235.

Stavraky, G. W.—The effects of oxygen on the circulatory system in conditions of anoxia and asphyxia, 175.

Stevens, M.—See Boyd, E. M.

Thérien, M.—See Dugal, L. P.

Tuba, J., Cantor, M. M., and Hunter, G.—Bio-assay of vitamin C in rose hips, 1.

Tuba, J., Hunter, G., and Kastelic, J.—Approximate nutrient composition of dried rose hips, 5.

Ziegler, J. A.—Use of the benzidine staining method for the study of capillaries in the cornea, 115.

SECTION E

INDEX TO VOLUME 23

Subjects

Air, Expired and alveolar, Respiratory quotients of, at normal and reduced barometric pressures, 32.

Animals

Benzidine method of staining capillaries in cornea of different species of, 115.

Cats

Effect of inorganic and organic iodides upon the output of respiratory tract fluid of, 195.

Observations on various types of motion causing vomiting in, 212.

Circulatory system of, Effect of oxygen on, in conditions of anoxia and asphyxia, 175.

Dogs

Dicumarol-treated, Effect of phthalic acid on prothrombin time of, 167.

Experimental shock in,

Effects of, 90.

Method of producing, 89.

in shock, Clotting time, plasma time, and prothrombin time in, 120.

Methods of assaying motion sickness preventives on, 226.

Observations on various types of motion causing vomiting in, 212.

in shock, Prothrombin levels of, 119.

Mice, Effect of dietary factors on production of tar-carcinoma in, 50.

Rabbits

Effect of inorganic and organic iodides upon the output of respiratory tract fluid of, 195.

Effect of potassium iodide, sodium iodide, and Iod-Ethamine upon the concentration of alcohol-soluble and alcohol-insoluble fractions of blood iodine, 206.

urine, Detection of a new conjugate in, after the feeding of phenothiazine, 71.

Rats

Benzidine staining method for study of capillaries in cornea of, 115.

Effect of heating, presence of antioxidants, and level and melting point of fat component on nutritional value of, in rat feeding tests, 131.

in shock, Prothrombin determinations in, 122.

Resistance of, to extreme temperatures in connection with different diets, 244.

Anoxia, Effect of oxygen on circulatory system of animals in condition of, 175.

Anthelmintics, See Phenothiazine.

Antioxidants, Effect of, on nutritional value of diets in rat feeding tests, 131.

Ascorbic acid in rose hips, Bio-assay of, 1.

Ash content of dried rose hips, 5.

Asphyxia, Effect of oxygen on circulatory system of animals in condition of, 175.

Azochloramide, Effect of, on growth of fibroblasts, 83.

Barometric pressure, Normal and reduced, Respiratory quotients of expired and alveolar air at, 32.

Benzidine staining method for study of capillaries in the cornea, 115.

N^1-Benzoyl-sulphanilamide

Effect of, on growth of fibroblasts, 81.

in experimental gas gangrene, 85.

Bio-assay

of pituitary extract (posterior lobe), An improved procedure for, 126.

of vitamin C in rose hips, 1.

Blood

Effect of oxygen on the circulatory system in conditions of anoxia and asphyxia, 175.

Effect of phthalic acid on the prothrombin time of dicumarol-treated dogs, 167.

equilibrated with nitrogen or nitrogen and carbon dioxide, Evolution of gas from, 29.

of animals in shock, Prothrombin levels of, 119.

Blood iodine of rabbits, Concentration of alcohol-soluble and alcohol-insoluble fractions of, as affected by potassium iodide, sodium iodide, and Iod-Ethamine, 206.

Blood pressure changes in animals during anoxia, asphyxia, and oxygen administration, 175.

Blood vessels in cornea, Benzidine staining method for study of, 115.

Brain, See Encephalography.

Bubbles, Formation and growth of, in aqueous solutions, 22.

Cancer, Effect of diet on production of, in mice, 50.

Capillaries in cornea, Benzidine staining method for study of, 115.

Carbohydrates, Effect of,
in dried rose hips, 5.
on resistance of rats to cold and to heat, 244.

Carbon dioxide, Evolution of, from blood, kerosene emulsion, and sodium bicarbonate solution, 29.

Cats, See under Animals.

Circulatory system of animals, Effect of oxygen on, in conditions of anoxia and asphyxia, 175.

Clostridium novyi, C. septicum, C. sordellii, and C. welchii experimental infections, N^1-Benzoyl-sulphanilamide in retardation of, 85.

Cold, Effect of diets on resistance of rats to, 244.

Colloidal solutions, Aqueous, Formation of bubbles in, 22.

Conjugate, New, Detection of, in rabbits' urine after feeding of phenothiazine, 71.

Cornea, Benzidine staining method for study study of capillaries in, 115.

Dicumarol treatment of dogs, Effect of phthalic acid after, 167.

Diets
Effect of heating, presence of antioxidants, and level and melting point of fat component on nutritional value of, in rat feeding tests, 131.
Effect of, on production of tar-carcinoma in mice, 50.
Resistance to extreme temperatures in connection with, in rat feeding tests, 244.

Digestibility of fats of low and of high melting point, 131.

Dogs, See under Animals.

Electrode, Suction type of, for electroencephalography, 19.

Electroencephalography, A suction type of electrode for, 19.

Embryo, Human, of two to three pairs of somites, 235.

Encephalography, Electro-, A suction type of electrode for, 19.

Ethyl-ether–water interface effects,
Application and control of, to the separation of rickettsiae from yolk sac suspensions, 104.

Eye, Benzidine staining method for study of capillaries in cornea of, 115.

Fat
component, Level and melting point of, Effect on nutritional value of diets in rat feeding tests, 131.
composition of dried rose hips, 5.
in diets of rats, Effect on resistance to cold and to heat, 244.

Fatty acids, Unsaturated, in diet of mice, Effect of, on development of tar-carcinoma, 64.

Feeding
of phenothiazine, Detection of a new conjugate in rabbits' urine after, 71.
tests, See Diets.

Fibroblasts, Effect of sulphonamides on, 80.

Fish
Comparison of riboflavin content of meat and, 16.
Effect of method of processing of, on riboflavin content, 15.
Fresh and processed, Distribution of riboflavin in, 8.

Food
Nutrient composition of dried rose hips, 5.
See also Diets, Fish, Fruit, and Vitamins.

Fruit of roses, Dried,
Approximate nutrient composition of, 5.
Bio-assay of vitamin C in, 1.

Gangrene, Gas, Experimental, Sulphonamides in retardation of, 87.

Gas, Evolution of, from solutions, 22.

Gas gangrene, Experimental, N^1-Benzoyl-sulphanilamide in, 85.

Growth of bubbles, Formation and, in aqueous solutions, 22.

Heat
Effect of diets on resistance of rats to, 244.
Effect of, on nutritional value of diets in rat feeding tests, 131.

Human embryo of two to three pairs of somites, 235.

Hydrogen ion concentration, Effect of, on emulsion formation and separation in removal of rickettsiae from yolk sac suspensions by means of ethyl-ether–water interface, 108, 109.

Hypoprothrombinemia of dicumarol-treated dogs, Effect of phthalic acid on, 167.

Infection, Experimental gas gangrene, Sulphonamides in retardation of, 85.

Interface effects, Ethyl-ether–water, Application and control of, in separation of rickettsiae from yolk sac suspensions, 104.

Iod-Ethamine, See Iodides.

Iodides, Inorganic and organic,
Effect of, on the output of respiratory tract fluid, 195.
Inorganic iodides, 197.
Iodized proteins, fats, fatty acids, and oils, 198.
Mechanism of action of the iodides, 201.
Organic iodides, 201.
Output of iodine in the respiratory tract fluid, 205.
Effect of potassium iodide, sodium iodide, and Iod-Ethamine upon the concentration of alcohol-soluble and alcohol-insoluble fractions of blood iodine, 206.

Kerosene emulsion, Evolution of gas from, 29.

Meat, Comparison of riboflavin content of fish and, 16.

Mice, Effect of dietary factors on production of tar-carcinoma in, 50.

Molluscs, Distribution of riboflavin in, 11.

Motion, See Motion sickness.

Motion sickness
Observations on various types of motion causing vomiting in animals, 206.
preventives, Method of assaying, on dogs, 226.

Movement, See Motion sickness.

Nitrogen, Evolution of, from blood, kerosene emulsion, and sodium bicarbonate solution, 29.

Nutrition
Nutrient composition of dried rose hips, Approximate, 5.
See also Diets, Fish, Fruit, and Vitamins.

Oxygen, Effects of, on the circulatory system in conditions of anoxia and asphyxia, 175.
in experimental animals, 177.
in humans, 186.

Phenothiazine, Fate of, in rabbits. I. The detection of a new conjugate in rabbits' urine after the feeding of thiazine, 71.

Phthalic acid, Effect of, on prothrombin time of dicumarol-treated dogs, 167.

Pituitary extract (posterior lobe), An improved procedure for the bio-assay of, 126.

Plasma, See Blood.

Potassium iodide, See Iodides.

Pressure(s)
Barometric, Normal and reduced, Respiratory quotients of expired and alveolar air at, 32.
Evolution of gas from aqueous solutions at different, 22.

Preventives for motion sickness, Methods of assaying, on dogs, 226.

Processing of fish, Effect of methods of, on riboflavin content, 15.

Proteins
in diet of mice, Effect of, on development of tar-carcinoma, 56.
in diets of rats, Effect of, on resistance to cold and to heat, 244.
in dried rose hips, 5.

Prothrombin
levels of animals in shock, 119.
time of dicumarol-treated dogs, Effect of phthalic acid on, 167.

Rabbits, See under Animals.

Rats, See under Animals.

Resistance of rats to extreme temperatures, Effect of diets on, 244.

Respiratory quotients of expired and alveolar air at normal and reduced barometric pressures, 32.

Respiratory tract fluid
Appearance of iodine-containing substances in, discussed in relation to concentrations of blood iodine, after iodine therapy, 206.
Effect of inorganic and organic iodides on output of, 195.

Riboflavin, See under Vitamins.

Rickettsiae, Application and control of ethyl-ether–water interface effects to the separation of, from yolk sac suspensions, 104.
Effect of hydrogen ion concentration, 108.

Rosa, See Rose hips.

Rose hips
Bio-assay of vitamin C in, 1.
Dried, Approximate nutrient composition of, 5.

Shock
Experimental, in dogs,
Effect of, 90.
Method of producing, 89.
Prothrombin levels of animals in, 119.

Sickness, Motion, See Motion sickness.

Sodium bicarbonate, See under Solutions.

Sodium iodide, See Iodides.

Sodium phthalate, Effect of, on prothrombin time of dicumarol-treated dogs, 170.

Solutions equilibrated with nitrogen or with nitrogen and carbon dioxide, Evolution of gas from,
Blood, 29.
Emulsion of kerosene in 0.5% Aerosol, 29.
Sodium bicarbonate, 29.

Staining of capillaries in the cornea with benzidine, Method for, 115.

Sulphadiazine
Effect of, on growth of fibroblasts, 81.
in retardation of experimental gas gangrene, 87.

Sulphanilamide
Effect of, on growth of fibroblasts, 81.
in retardation of experimental gas gangrene infection, 87.
N^1-Benzoyl-
Effect of, on growth of fibroblasts, 81.
in experimental gas gangrene, 85.

Sulphapyrazine, Effect of, on growth of fibroblasts, 81.

Sulphapyridine in retardation of experimental gas gangrene infection, 87.

Sulphathiazole
Effect of, on growth of fibroblasts, 81.
in retardation of experimental gas gangrene, 87.

Sulphonamides, Effect of, on fibroblasts, 80.

Sweet compounds and their mixtures, Relative sweetness of, 139.

Sweetness, Relative, of various sweet compounds and of their mixtures, 139.

Tar-carcinoma in mice, Effect of dietary factors on, 50.

Temperature(s), Extreme, Resistance of rats to, in connection with different diets, 244.

Toxicity of sulphonamides for tissue cells, 80.

Vascular system in cornea, Benzidine staining method for study of, 115.

Vitamins
in dried rose hips, 6.
Riboflavin
content of fish, Effect of method of processing on, 15.
content of meat and fish, Comparison of, 16.
Distribution of,
in fresh and processed fish, 8.
in molluscs, 11.
Vitamin C in rose hips, Bio-assay of, 1.
Vitamin K, Effect of, on prothrombin times of dicumarol-treated dogs, 168.

Vomiting, See Motion sickness.

Water–ethyl-ether interface effects, Application and control of, to the separation of rickettsiae from yolk sac suspensions, 104.

Yolk sac suspensions, Application and control of ethyl-ether–water interface effects to the separation of rickettsiae from, 104.